

SUPPLEMENT TO



The Gazette of India

No. 36]

NEW DELHI, SATURDAY, SEPTEMBER 13, 1952

OFFICIAL PAPERS

Reported attacks and deaths from cholera, small-pox, plague and typhus in districts in India during the week ending the 16th August, 1952

	CHOLERA		SMALLPOX		PLAQUE			
	C.	D.	C.	D.	C.	D.		
STATES PART (A) & PART (C)								
Ajmer								
TOTAL		
(Estd. mid-year pop. 706 thousands.)								
Total for w/e 9-8-52		
Total for w/e 2-8-52		
7-yearly mean for the week		
Assam								
Cachar	7	3		
Khasi & Jaintia Hills		
Naga Hills		
Goalpara		
Kamrup		
Darrang		
Nowgong	3		
Sibsagar		
Lakshimpur		
Sadiya & Frontier Tracts		
Garo Hills		
TOTAL	10	3		
(Estd. mid-year pop. 9,334 thousands.)								
Total for w/e 9-8-52	4	2	4	2		
Total for w/e 2-8-52		
7-yearly mean for the week	3	6	3	1		
Bhopal								
TOTAL		
(Estd. mid-year pop. 845 thousands.)								
Total for w/e 9-8-52		
Total for w/e 2-8-52		
7-yearly mean for the week	..	11	5		
Bilaspur								
<i>Return not received.</i>								

Explanation of Symbols used :—C.—Cases ; D.—Deaths.

TOTAL	53	28	19	3	1	1
(Estd. mid-year pop. 36,802 thousands)						
Total for w/e 9-8-52	55	17	8	1
Total for w/e 2-8-52	184	70	31	8
7-yearly mean for the week	314	136	72	12	69	28

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 16th August 1952—contd.

	CHOLERA		SMALLPOX		PLAQUE			CHOLERA		SMALLPOX		PLAQUE	
	O.	D.	O.	D.	O.	D.		O.	D.	O.	D.	O.	D.
Goorg							Madras						
Total	—	Visakhapatnam	1
(Estd. mid-year pop. 237 thousands).							Srikakulam	..	59	28	3
Total for w/e 9-8-52	East Godavari
Total for w/e 2-8-52	Krishna	..	12	9	5	3	..
7-yearly mean for the week	Guntur	..	33	14	8	4	..
Delhi							Nellore	..	72	36	8
Delhi City	Cuddappah	..	86	36	7	4	..
New Delhi	1	Kurnool	..	30	8
Delhi Notified Area	Bellary	..	8	4	8	2	..
New Delhi Cantt.	Anantapur	..	46	23	9	1	..
West Delhi N. A. C.	Madras	..	3	1	17	1	..
Rural Circles	Chingleput	..	30	14	15	6	..
Total	1	Chittoor	..	416	186
(Estd. mid-year pop. 1,744 thousands)							North Arcot	..	50	14	3	2	..
Total for w/e 9-8-52	1	1	Salem	..	133	61	7	1	..
Total for w/e 2-8-52	6	1	Coimbatore	..	42	26	1
7-yearly mean for the week	2	..	1	1	South Arcot	2
Himachal Pradesh							Tanjore	29	14
<i>Return not received.</i>							Tiruchirapalli	..	43	20
Madhya Pradesh							Mathurā	..	3	1
Nagpur	..	30	2	Rāmnad	5
Wardha	Tirunelveli	1
Chanda	2	1	..	Nilguria
Chhindwara	1	1	..	Malabar	..	2	2	10	6	..
Betul	South Kanara
Bhandara	West Godavari	1	2
Yabalpur	1	1	..	TOTAL	..	1,077	489	140	46	..
Sagar	..	35	20	(Estd. mid-year pop. 57,000 thousands.)						
Mandla	Total for w/e 9-8-52	..	1,240	561	132	33	..
Hoshangabad	..	1	1	Total for w/e 2-8-52	..	1,079	442	152	28	..
Nimar	7-yearly mean for the week	..	642	317	339	69	11
Balaghat	Manipur						
Raipur	..	20	7	2	<i>No incidence.</i>						
Bilaspur	..	93	59	6	3	..	Orissa						
Durg	..	2	4	6	1	..	Cuttack	..	20	12	3
Bastar	Balasore
Surguja	Puri	..	6	3	7
Raigarh	..	17	15	Sambalpur	..	49	20
Amravati	..	4	4	Khondmals	..	6	3
Yeotmal	..	4	2	Ganjam Plains	..	84	44
Akola	..	15	7	Ganjam Agency	..	12	8
Buldana	..	84	30							
TOTAL	305	160	18	7							
(Estd. mid-year pop. 21,554 thousands).													
Total for w/e 9-8-52	281	117	38	9							
Total for w/e 2-8-52	212	114	0	4							
7-yearly mean for the week	583	275	57	8	6	1							

Explanation of Symbols used—O—Cases; D—Deaths.

Reported attacks and deaths from cholera, small pox, plague and typhus in districts in India during the week ending the 16th August, 1952—contd.

	CHOLERA						CHOLERA							
	C.		D.		C.		D.		C.		D.			
Orissa—contd.						Uttar Pradesh—contd.								
Koraput	.	.	69	32	6	—	—	—	Alligarh	.	.	9	2	
Keonjhar	.	.	—	—	—	—	—	—	Mathura	.	.	—	—	
Dhenkanal	.	.	—	—	—	—	—	—	Agra	.	.	18	9	
Bolangir Patna	.	.	168	112	11	2	—	—	Mainpuri	.	.	5	1	
Sundergarh	.	.	1	—	9	3	—	—	Etah	.	.	3	1	
Kalahandi	.	.	71	53	9	1	—	—	Bareilly	.	.	21	4	
Angul	.	.	—	—	—	—	—	—	Bijnor	.	.	—	—	
Mayurbhanj	.	.	—	—	—	—	—	—	Budaun	.	.	6	5	
TOTAL	.	.	484	296	45	6	—	—	Moradabad	.	.	—	—	
(Estd. mid-year pop. 14,761 thousands)								—	Shahjahanpur	.	.	—	—	
Total for w/e 9-8-52	.	391	240	102	16	—	—	—	Pilibhit	.	.	1	2	
Total for w/e 2-8-52	.	320	193	97	36	—	—	—	Farrukhabad	.	.	22	9	
7-yearly mean for the week	.	.	74	37	94	19	—	—	Etawah	.	.	—	—	
Punjab (I)						Kanpur								
Hissar	.	.	—	—	—	—	—	—	Fatehpur	.	.	2	1	
Rohtak	.	.	—	—	—	—	—	—	Allahabad	.	.	—	—	
Gurgaon	.	.	—	—	—	—	—	—	Jhansi	.	.	5	3	
Karnal	.	.	—	—	—	—	—	—	Jalaun	.	.	11	5	
Ambala	.	.	—	—	2	—	—	—	Hamirpur	.	.	12	10	
Simla	.	.	—	—	—	—	—	—	Banda	.	.	—	—	
Kangra	.	.	10	4	—	—	—	—	Banaras	.	.	—	2	
Hoshiarpur	.	.	—	—	—	—	—	—	Mirzapur	.	.	10	2	
Jullundur	.	.	—	—	—	—	—	—	Jaunpur	.	.	—	—	
Ludhiana	.	.	—	—	1	1	—	—	Ghazipur	.	.	5	2	
Ferozepur	.	.	—	—	2	—	—	—	Ballia	.	.	17	5	
Amritsar	.	.	—	—	—	—	—	—	Gorakhpur	.	.	7	4	
Gurdaspur	.	.	—	—	—	—	—	—	Deoria	.	.	13	5	
TOTAL	.	.	10	4	5	2	—	—	Basti	.	.	—	—	
(Estd. mid-year pop. 12,645 thousands)							—	—	Azamgarh	.	.	—	—	
Total for w/e 9-8-52	.	3	3	2	—	—	—	—	Nainital	.	.	—	—	
Total for w/e 2-8-52	.	1	1	—	2	—	—	—	Almora	.	.	—	—	
7-yearly mean for the week	.	.	18	10	3	2	—	—	Garhwal	.	.	—	—	
Tripura						Lucknow								
No incidence.						Unaо								
(Estd. mid-year pop. 608 thousands)								—	Rae Bareilli	.	.	5	2	
Total for w/e 9-8-52	.	—	—	—	—	—	—	—	Sitapur	.	.	7	2	
Total for w/e 2-8-52	.	—	—	—	—	—	—	—	Hardoi	.	.	32	12	
Uttar Pradesh						Kheri								
Dehra Dun	.	.	—	—	—	—	—	—	Faizabad	.	.	—	—	
Saharanpur	.	.	12	7	—	—	—	—	Gonda	.	.	13	4	
Muzaffarnagar	.	.	7	5	—	—	—	—	Bahraich	.	.	41	26	
Meerut	.	.	12	10	—	—	—	—	Sultanpur	.	.	—	—	
Bulandshahr	.	.	3	—	—	—	—	—	Partabgarh	.	.	—	—	
							—	—	Bara Banki	.	.	5	3	
							—	—	Rampur	.	.	4	3	
							—	—	TOTAL	.	346	167	12	
							—	—		.	7	—	—	
							—	—	(Estd. mid-year pop. 64,152 thousands)					
							—	—	Total for w/e 9-8-52	.	404	174	5	2
							—	—	Total for w/e 2-8-52	.	351	153	11	8
							—	—	7-yearly mean for the week	.	700	337	28	7
							—	—		.	—	—	3	

Explanation of symbols used:—C.—Cases, D.—Deaths.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 16th August, 1952—contd.

	CHOLERA		SMALLPOX		PLAQUE			CHOLERA		SMALLPOX		PLAQUE							
	O.	D.	O.	D.	O.	D.		O.	D.	O.	D.	O.	D.						
West Bengal												Jammu & Kashmir							
Burdwan	.	.	22	10	..	1	<i>Return not received.</i>							
Birbhum	.	.	3	Madhya Bharat							
Bankura	.	.	3	1	Bhind	.	5	8
Midnapur	.	.	2	1	Bhilas	.	108	78
Hooghly	Gird
Howrah	.	.	13	8	Indore
24-Parganas	.	.	12	8	9	6	Jhabua
Calcutta	.	.	13	5	2	1	Morena	.	16	9
Nadia	Mandsaur
Murshidabad	2	1	Nimar
Malda	Ratlam
West Dinejpur	Shivpuri	.	1	1
Jalpaiguri	Shajapur	.	6	3
Darjeeling	2	Guna	.	91	62
Cooch Behar	Total		226	156
Chandernagore	Total		226	156
TOTAL	.	.	68	33	15	9	Mysore							
(Estd. mid-year pop. 25,180 thousands)	Bangalore	3	1
Total for w/e 9-8-52	.	.	137	62	21	5	Chikmagalur	1
Total for w/e 2-8-52	.	.	152	78	20	5	Chitaldrug
7-yearly mean for the week	.	.	161	66	51	23	Hassan
Grand total for States Parts (A) & (C) excluding Bihar and Himachal Pradesh.	2,343	1,177	265	83	1	1	Kadur
Corresponding (Estd. mid-year pop. 246,986 thousands).	2,516	1,183	315	69	Kolar	.	16	6	4	1	4	1
Corresponding Total for w/e 9-8-52	2,516	1,183	315	69	Mandyā	15
Corresponding Total for w/e 2-8-52	2,205	1,052	351	92	Mysore	.	1	1	18	11
Corresponding 7-yearly mean for the week	2,513	1,180	648	144	116	43	Shimoga
STATES PART (B)												Tumkur	5
Hyderabad												Total		17	7	28	2	22	19
Aurangabad	.	.	16	8	Total	
Purbhani	.	.	35	21	Patiala & East Punjab States Union							
Bhir	.	.	11	4	Total		7	2	..
Gulberga	Rajasthan							
Raichur	.	.	2	1	Bikaner
Pidar	.	.	2	1	Jaipur
Osmanabad	Jhalawar	.	14	9
Warrangal	.	.	11	4	Total		14	9
Kareemnagar	Saurashtra							
Adilabad	.	.	3	<i>No incidence.</i>							
Nizamabad	Travancore-Cochin							
Medak	Total		5	4	..
Nalgonda	.	.	8	4	Total	
Mahbubnagar	.	.	3	1	Total	
Hyderabad	Total	
Nanded	.	.	26	5	Total	
TOTAL	.	.	117	49	Total		5	4	..

Explanation of Symbols used: —C. = Cases, D. = Deaths.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 16th August, 1952—*concl.*

	CHHATARPUR						JAMMU AND KASHMIR					
	CHHATARPUR		JAMMU AND KASHMIR		KASHMIR		CHHATARPUR		JAMMU AND KASHMIR		KASHMIR	
	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.
Vindhya Pradesh												
Chhatarpur
Batia	..	4	6
Tewa
Batna
Jahadpur
Kikamgarh
TOTAL	4	6	—	—	—	—	—	—	—	—	—	—
Grand total for States Part (B)	378	227	40	8	22	12	Madhya Pradesh	16—31 July, 1952				4
Grand total for States Parts (A), (B) & (C)	2,721	1,404	305	91	23	13	Punjab (I)	1—15 Aug 1952				8

Explanation of Symbols used:—C.—Cases; D.—Deaths.

NEW DELHI-2 (INDIA);
the 8th September, 1952.

K. MITRA,

for Registrar General, India.

NATIONAL SAVINGS CERTIFICATES

Avs table in three different series, maturing after 5, 7 and 12 years. The yield is 3%, 3.57% and 4.16% simple interest, respectively, at maturity. Thus, in the 12 year-certificates money increases by 50% on maturity. Interest is free of income-tax and super-tax and is not taken into account in arriving at the total taxable income.

The certificates are obtainable from Post Offices doing Savings Bank business in denominations of Rs. 5, 10, 50, 100, 500, 1,000 and 5,000. An individual can invest upto Rs. 25,000, and two joint holders upto Rs. 50,000/-.

Particulars obtainable from P. Scheme, Assistant National Officers, or the National Savings Com-

Offices, District Organisers of the Small Savings Officers, Provincial National Savings Officers, Simila-

Deposits accepted in multiples of Rs. 100/- upto a maximum of Rs. 25,000/- for a single depositor and Rs. 50,000 for two persons joint. The rest at 3½% per annum (free of all taxes and not taken into account in arriving at the total taxable income) is paid or remitted to the depositor's account every year. Deposits accepted at offices of the Reserve Bank of India at Bombay, Calcutta, Delhi & Madras, and Branches of The Imperial Bank of India in other places transacting treasury business.

Full particulars obtainable from District Organisers of the Small Savings Scheme, Assistant National Savings Officers, Provincial National Savings Officers, or the National Savings Commissioner, Simila-

3½%
**TEN-YEAR
TREASURY SAVINGS
DEPOSITS**

TODAY'S BEST INVESTMENT FOR SMALL SAVERS

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 16th August, 1952.

Town	Mid-1952 Popn. Est. (000)	Deaths from :-											
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D. R.*	I.D.
STATES—(Parts A and C)													
Ajmer													
Ajmer	203 53	89 35	22.8 34.3	— —	— —	— —	13 9	14 4	10 3	— —	51 20	14.1 29.6	9 4
TOTAL	256	124	25.2	—	—	—	22	18	13	—	71	14.4	13
Assam													
Dibrugarh	40	1	1.3	—	—	—	—	1	1	—	3	3.9	—
Gauhati†	56	24	22.3	—	—	—	—	—	—	1	—	0.0	—
Shillong	37	5	7.0	—	—	—	5	—	—	—	13	18.3	—
TOTAL	133	30	11.7	—	—	—	5	1	2	—	17	6.6	—
Bhopal													
Bhopal city	106	40	19.6	—	—	—	8	—	1	+	11	5.4	+
Bihar													
Return not received													
Bombay													
Ahmedabad	814	715	45.7	—	—	—	11	25	147	—	308	25.4	148
Ahmednagar	83	80	55.8	—	—	—	2	—	7	—	24	15.0	—
Amalner	46	21	23.7	—	—	—	8	—	3	—	13	14.3	—
Bagalkot	33	16	25.2	—	—	—	6	1	—	1	20	31.5	4
Baroda	219	129	30.6	—	—	—	31	4	4	—	70	16.6	22
Barwi	48	32	38.7	—	—	—	4	—	—	—	13	15.7	7
Belgaum	103	71	35.8	—	—	—	8	4	3	—	28	14.1	4
Bhusewal	56	37	34.4	—	—	—	2	3	3	—	13	12.7	3
Bijapur	68	35	26.8	—	—	—	2	—	—	—	10	7.6	2
Brosach	64	58	41.1	—	—	—	9	2	3	—	28	22.8	5
Cambay	40	18	18.4	—	—	—	8	—	—	—	8	10.4	—
Chalisgaon	31	23	35.4	—	—	—	8	—	1	—	10	16.8	5
Dharwar	69	33	24.9	—	—	—	2	—	6	—	24	18.1	1
Dhulia	80	39	25.4	—	—	—	2	2	2	—	11	7.2	2
Gadag-Betgeri	17	88	29.5	—	—	—	16	1	3	2	35	26.2	9
Godhra	40	39	50.7	—	—	—	5	—	1	—	8	10.4	—
Greater Bombay	2,067	1,380	24.0	—	—	—	5	54	201	—	904	15.7	270
Hubli †													
Jalgaon	71	39	28.6	—	—	—	5	1	1	—	17	12.0	3
Kalyan	62	21	17.6	—	—	—	1	1	3	—	13	11.2	—
Kolhapur	143	77	28.3	—	—	—	0	2	3	—	28	10.2	6
Malegaon	57	36	32.0	—	—	—	4	2	1	—	8	7.9	2
Miraj†													
Nadiad	66	24	19.2	—	—	—	18	—	3	—	27	21.6	9
Nasik	103	63	31.8	—	1	—	9	1	2	1	29	14.2	8
Nandurbar	31	17	28.5	—	—	—	1	—	—	—	7	11.8	5
Navasari	46	27	30.5	—	—	—	3	—	1	—	5	5.7	—
Pandharpur	41	25	21.7	—	—	—	7	4	6	2	23	29.3	7
Patan	44	38	44.9	—	—	—	5	1	—	—	12	14.2	4
Poona	271	27.3	—	—	—	—	4	10	36	7	74	17.5	19
Sangli	52	22	22.0	—	—	—	2	—	3	—	19	19.0	3
Satara	38	23	31.5	—	—	—	4	1	—	—	22	30.1	4
Sholapur †													
TOTAL	6,395	3,629	29.5	1	1	1	223	127	463	17	2,128	17.3	650
Delhi State													
Delhi City	955	519	28.3	—	—	—	9	25	21	1	169	9.2	46
New Delhi	304	235	40.2	—	—	—	6	—	5	1	28	4.8	5
TOTAL	1,259	754	31.1	—	—	—	95	25	26	2	197	8.1	51

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 16th August 1952—*contd.*

Deaths from—

Town	Mid.1952 Popn. Est. (000)	Deaths from—												
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.†	I.D.	
Madhya Pradesh														
Achalpur	36	44	63.6	—	—	—	3	5	1	—	19	27.4	10	
Akola†	90	144	83.2	—	—	—	8	5	3	2	43	24.8	17	
Amravati														
Bilaspur†														
Burhanpur†														
Chanda	41	89	49.5	..	—	—	4	2	4	—	18	22.8	13	
Damoh†														
Gondia														
Hinganghat†														
Jabalpur	212	151	37.0	—	4	—	13	12	4	..	59	14.5	10	
Khandwa†														
Nagpur†														
Rajpur†														
Sagar†														
Wardha†														
Yeotmal	37	29	40.8	—	—	—	8	6	1	—	21	29.5	8	
	TOTAL	455	467	53.4	..	4	..	57	33	15	2	192	21.9	62
Madras														
Adoni	56	28	26.0	2	4	..	13	12.1	2		
Bur	42	25	31.0	2	2	..	10	12.4	1		
Amakavalli	42	37	45.8	11	13.6	2		
Aruppukottai	50	43	44.7	—	4	5	2	..	24	25.0	5	
Bellary†														
Bhuvanavaram†														
Cannanore	43	31	37.5	4	1	14	16.9	2	
Chirala	37	21	27.3	1	1	2	..	13	16.9	2	
Chittoor	40	33	42.9	13	1	1	1	2	25	32.5	2	
Coimbatore	203	136	34.8	3	20	20	..	105	26.0	31	
Cuddalore	69	43	32.4	3	6	5	..	28	21.1	6	
Cuddappah	39	36	48.0	3	1	..	1	..	1	..	10	13.3	1	
Dindigul	82	98	24.1	2	5	8	2	37	23.5	10	
Eluru†														
Erode	60	49	42.5	2	5	1	4	1	25	21.7	4	
Gudiyattam	47	32	35.4	1	..	2	..	15	16.6	4	
Uasur	124	97	39.5	3	4	2	4	1	36	14.3	6	
Kakinada	103	38	19.2	5	2	3	..	35	17.7	7	
Kancheepuram	86	99	59.9	2	1	..	6	8	11	1	56	39.5	11	
Karaikudi	39	29	38.7	1	11	14.7	2	
Karur	44	24	28.4	1	2	..	1	..	15	17.7	3	
Kumbakode	162	131	42.1	14	4	5	1	82	26.3	18	
Kumbakonam	95	80	43.8	4	6	1	45	24.6	14	
Kurumal	62	54	45.3	2	4	22	18.5	3	
Madras	1,488	1,164	40.7	1	1	..	86	134	196	7	788	27.7	169	
Mangalore	122	40	17.0	4	6	5	..	31	13.2	5	
Merulipatnam	81	48	30.8	2	2	5	..	24	15.4	3	
Mathura	378	308	42.4	..	1	..	15	21	47	1	156	21.5	41	
Mayyuram	45	30	34.7	3	..	14	16.2	3	
Malappayam	38	9	12.3	1	3	6	8.2	2	
Nagapattinam	59	12	10.6	3	21	18.5	2	
Nellore	85	90	55.1	12	6	..	0	1	60	36.7	6	
Otaozund	43	32	38.7	7	..	16	19.3	2	
Thiyankottai	41	44	55.8	3	..	5	..	11	14.0	3	
Palghat	71	60	43.0	2	1	11	..	36	26.4	10	
Proddatur	38	29	39.7	3	..	2	..	14	19.2	3	
Pudukkottai	46	28	31.7	2	1	1	..	11	12.4	2	
Reliahmundry	164	60	23.0	4	2	..	1	35	16.5	6	
Rajapalayam	63	32	26.4	8	2	3	..	21	17.8	5	
Salem	212	153	37.3	9	2	9	26	1	98	23.9	16	
Srivilliputtur	41	11	39.4	3	2	2	1	24	30.4	6	
Tanjore	105	67	28.2	3	2	2	10	3	41	20.3	5	
Tellicherry	63	37	30.5	..	1	3	..	20	23.1	—	
Tenali	60	20	22.5	1	1	1	1	12	10.4	1	
Tiruchirappalli	226	188	43.3	6	11	83	19.1	10	
Tirunelveli	75	37	25.7	1	3	8	..	30	20.8	9	
Tiruppur	55	40	37.8	6	3	4	3	..	28	26.5	3	
Tiru Annamalai	31	19	23.5	1	1	..	7	8.7	..	
Tuticorin	101	66	34.0	3	3	1	20	10.3	7		

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Diarrhoea and Dysentery; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending 16th August 1952—contd.

Town	Mid.-1952 Popn. (000)	Deaths from :-												
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.*	
Madras—contd.														
Vaniyambadi	40	21	27.3	1	2	1	...	10	13.0	3	
Vellore	111	90	42.3	...	1	...	4	5	9	...	50	23.4	12	
Vijayawada	171	74	22.5	...	1	...	7	1	2	2	36	10.9	6	
Virudunagar	48	46	49.8	2	8	1	26	28.2	6	
Vizakapatnam	113	92	42.3	8	3	10	1	63	29.0	13	
Vizianagram	69	47	35.4	5	4	3	1	26	19.6	6	
TOTAL	5,758	4,104	37.1	53	10	—	231	288	479	31	2,450	22.1	499	
Orissa														
Berhampur	65	24	19.2	1	...	—	4	5	1	1	22	17.7	2	
Cuttack	108	80	39.4	—	7	4	47	23.1	8	
Puri	50	4	4.2	—	10	7	1	...	31	32.3	9	
TOTAL	221	108	25.4	1	...	—	21	18	2	1	100	23.5	19	
Punjab (I)														
Ambala	89	48	42.6	—	—	—	3	3	3	—	12	16.6	2	
Amritsar	317	101	16.7	—	—	—	3	6	31	—	72	11.9	16	
Batala	57	33	30.3	—	—	—	8	...	2	1	14	12.8	6	
Bhiwani	53	37	36.6	—	—	—	7	3	3	—	18	17.8	2	
Ferozepore	41	22	28.1	—	—	—	—	1	3	—	15	19.1	3	
Hissar	86	22	31.9	—	—	—	8	2	2	—	14	20.3	8	
Hoshiarpur	47	31	34.6	—	—	—	8	1	—	—	12	13.3	3	
Jullundur	176	125	37.1	—	—	—	20	5	4	—	39	11.6	10	
Karnal	61	41	35.1	—	—	—	2	2	1	—	8	6.9	1	
Ludhiana	159	113	37.2	—	—	—	14	3	1	—	26	8.5	6	
Moga	28	26	35.8	—	—	—	1	—	1	—	7	9.6	2	
Panipat	67	31	23.4	—	—	—	5	—	1	—	13	11.9	5	
Pathankot	31	13	21.9	—	—	—	3	—	—	—	6	10.1	3	
Rewari	85	16	23.9	—	—	—	5	2	4	—	12	17.9	1	
Rohtak	72	57	40.8	—	—	—	9	—	—	—	12	8.0	5	
Simla	45	31	35.2	—	—	—	2	—	2	—	10	11.4	4	
Sonepat	31	18	25.3	—	—	—	5	1	1	—	10	16.9	4	
TOTAL	1,317	762	30.1	—	...	—	103	29	59	1	300	11.8	81	
Uttar Pradesh														
Agra	344	340	51.7	—	—	—	4	9	46	—	124	18.8	38	
Allahabad	322	181	29.4	—	—	—	—	4	22	—	68	11.0	21	
Amroha	69	39	34.6	—	—	—	6	2	4	—	27	23.9	11	
Bahraich	45	19	22.1	—	—	—	3	3	4	—	16	18.6	7	
Ballia	32	9	14.7	—	—	—	2	—	—	—	0	9.8	3	
Benaras	350	313	46.8	—	—	—	62	18	21	2	205	30.0	60	
Banda	31	9	15.2	—	—	—	2	—	—	—	6	10.1	1	
Bareilly	197	108	28.1	—	—	—	17	3	12	—	46	12.2	19	
Basti †	—	—	—	—	—	—	—	—	—	—	—	—	—	
Bijnor †	53	34	33.5	—	—	—	9	—	1	—	17	16.9	3	
Budaun	—	—	—	—	—	—	—	—	—	—	—	—	—	
Bulandahahr †	—	—	—	—	—	—	—	—	—	—	—	—	—	
Chandauli	38	31	42.7	—	—	—	6	1	1	—	14	19.3	4	
Dehra Dun	124	30	12.0	—	—	—	3	2	2	—	15	6.3	7	
Etawah	61	78	65.1	2	—	—	18	5	3	—	87	48.9	21	
Faizabad-Ajodhya	79	25	16.6	—	—	—	4	1	2	—	9	6.0	1	
Farrukhabad-Fatehgarh	76	56	38.6	6	—	—	16	9	5	—	43	29.6	12	
Ferozabad	69	52	9.4	1	—	—	10	2	—	—	22	16.7	6	
Ghazniabad	40	19	24.8	—	—	—	14	—	—	—	15	19.6	5	
Ghazipur	35	19	28.4	—	—	—	5	1	—	—	11	16.4	—	
Gonda	33	16	25.4	—	—	—	7	2	—	—	15	23.8	4	
Gorakhpur	124	48	19.6	—	—	—	14	7	1	1	31	12.7	4	
Hapur	45	27	31.4	—	—	—	8	—	2	—	12	13.9	3	
Hardwar	58	40	36.1	—	—	—	26	2	3	—	42	37.9	10	
Hathras	68	65	58.6	—	—	—	13	10	5	—	37	93.4	17	
Jaunpur	62	32	31.6	—	—	—	5	—	9	1	12	11.8	—	
Jhansi	104	112	59.7	—	—	—	38	4	3	—	63	30.2	18	
Kanpur	66	326	25.7	—	—	—	100	30	38	8	315	24.9	104	
Kasganj	33	31	49.1	—	—	—	4	1	1	—	6	9.5	2	
Khurja	30	40.2	—	—	—	—	2	2	1	—	21	23.2	8	

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fevers; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 16th August, 1952—*contd.*

Town	Mid-1952 Popn.- East. (000)	Deaths from—												
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.	
Uttar Pradesh—<i>contd.</i>														
Koll-Aligarh	141	72	26.7	16	3	3	...	28	10.4	9	
Lucknow	457	244	27.9	51	7	21	...	166	19.0	55	
Mathura	101	80	46.1	18	1	6	...	38	19.7	10	
Meerut	167	130	40.7	5	3	7	...	22	6.9	7	
Mirzapur-Vindhyaichal	90	63	36.6	2	20	3	3	...	42	24.4	10	
Moradabad	158	140	46.3	19	20	16	...	100	33.1	34	
Muzaffarnagar	67	43	33.6	7	5	2	...	20	15.6	7	
Pilibhit	45	27	31.4	5	8	7	1	...	33	38.3	11	
Rampur	140	10	3.7	3	...	1	...	13	4.9	...	
Sehwanpur	147	113	40.2	49	1	4	1	70	24.9	29	
Sambhal	62	63	53.1	22	3	2	...	28	23.6	7	
Shahjahanpur	99	63	33.3	31	4	1	...	44	23.2	15	
Sitapur	48	40	45.5	6	2	1	...	14	15.9	2	
TOTAL	4,928	3,219	34.0	14	3	...	659	185	248	13	1,889	19.9	589	

West Bengal*Return not received.***STATES (PART B)****Jammu & Kashmir***Return not received.***Madhya Bharat**

Water Gwalior	249	66	13.7	4	3	18	9.7	8
Indore City†	66	17	13.3	5	4	9	..	30	23.6	9
Ratlam City													
Ujjain City†													
TOTAL	315	83	13.7	9	7	9	..	48	7.9	12

Mysore State

Bangalore City	825	408	25.7	—	52	58	274	17.3	..
Davanagere	59	29	25.6	2	1	..	10	8.8	..
Kolar Gold Fields	163	124	39.6	—	8	8	5	..	43	13.7	..
Mysore City	257	178	36.0	—	5	5	—	1	57	11.5	..
TOTAL	1,304	739	29.5	60	73	6	1	384	15.3	..

PEPSU

Bhatinda	35	21	32.8	1	2	3.0	..
Malerkotla	33	23	36.2	1	..	1	..	3	4.7	1
Patiala	100	87	45.2	16	..	2	..	27	14.0	11
TOTAL	168	131	40.5	18	..	3	..	32	9.9	12

Rajasthan

Alwar	59	19	16.7	3	5	1	..	13	11.5	..
Bharatpur†	117	100	44.4	—	3	2	7	1	13	8.7	4
Bikaner	43	5	6.0	3	3	8.6	..
Churu	39	6	8.0	3	9	12.0	1
Ganganagar	307	90	5.4	41	12	38	2	114	10.6	39
Jaipur													
Jodhpur†													
Kotah city	66	24	18.9	—	7	3	2	1	13	110.2	..
Sikar†													
Tonk	43	18	21.7	—	2	2	3	..	10	12.1	8
Udaipur	94	2	1.1	6	..	1	..	7	3.9	—
TOTAL	768	204	13.8	68	24	52	4	182	12.3	52

Saurashtra

Bhavnagar	143	37	13.5	28	3	1	1	51	18.5	6
Dhoraji	45	6	6.0	3	3	1	1	8	9.0	..
Gondal	38	18	24.6	3	2	1	..	13	17.8	..
Jamnagar	109	29	13.8	11	2	2	..	26	12.4	5
Junagadh	63	27	22.3	21	3	2	..	36	29.4	13
Morvi	41	11	14.0	4	1	1	..	6	7.6	1
Porbandar	60	13	11.3	13	3	2	..	31	26.9	16
Rajkot	141	59	19.5	21	9	6	4	55	20.3	14
Surendra Nagar	36	7	10.1	4	11	15.9	1
Veraval	42	3	8.7	6	..	1	..	7	8.6	..
TOTAL	718	204	14.8	114	26	17	5	244	17.7	56

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 16th August, 1952—concl'd.

Deaths from :—

Town	Mid-1952 Popn. Est. (000)	B.	B.R.*	O.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.	
Travancore-Cochin														
Alleppey	124	88	16.0	3	..	3	..	87	15.5	4	
Changanacherry	37	18	25.3	9	..	1	..	8	11.2	..	
Ernakulam	64	48	39.0	2	..	2	..	15	12.2	..	
Kottayam	46	23	26.0	2	6	6.8	..	
Mattancherry	76	48	32.8	1	..	3	..	11	7.5	4	
Nagercoil	83	32	20.0	1	7	4.4	..	
Quilon	68	90	75.7	1	1	1	..	8	6.1	..	
Trichur	71	62	45.4	1	..	3	..	13	9.5	2	
Trivandrum City	195	227	61.0	4	2	7	2	29	7.7	..	
TOTAL	764	595	40.5	—	—	..	18	3	20	2	134	9.1	12	
ARREAR RETURN														
Madhya Pradesh For w/e														
Akola	19-7-52	93	62	34.7	9	9	..	1	38	21.2	10
"	20-7-52	93	61	34.1	10	3	29	16.2	4
"	2-8-52	93	65	36.3	9	24	13.4	2
Jabalpur	9-8-52	212	129	31.6	—	..	—	16	10	14	—	80	19.6	5
Orissa														
Berhampur	9-8-52	65	65	52.0	1	—	..	5	9	3	..	26	20.9	7
Bombay														
Godhra	9-8-52	40	31	40.3	—	..	—	7	1	13	16.9	..
Punjab (I)														
Batala	9-8-52	57	34	31.2	—	4	1	3	..	8	7.3	5
Simla	"	46	26	29.5	—	2	2.3	..
Bhopal														
Bhopal City	9-8-52	106	50	24.6	17	8.3	..
Jammu & Kashmir														
Srinagar	28-6-52	233	166	37.0	6	..	16	1	30	6.3	6
"	5-7-52	233	202	45.1	9	..	11	..	33	7.3	10
"	19-7-52	233	172	38.1	6	..	10	..	42	9.3	12
"	26-7-52	233	157	35.0	9	..	14	1	49	10.9	6
Jammu	28-6-52	64	26	21.1	4	..	1	1	7	5.6	..
"	21-6-52	64	29	23.5	9	1	1	1	18	14.6	1
"	14-6-52	64	19	15.4	3	..	3	..	16	13.0	5
"	7-6-52	64	24	19.5	3	3	3	1	16	13.0	..
Rajasthan														
Jalpur	19-7-52	307	36	6.0	42	7	4	..	97	16.4	40
Alwar	"	59	92	28.2	4	16	14.1	..
Tonk	"	43	14	16.0	5	1	3	..	10	12.1	1
Churu	"	43	4	4.8
Ganganagar	"	89	1	1.3	—	2	1	15	20.0	1
Kotah	"	66	15	11.8	11	1	4	..	18	14.2	..
Udaipur	"	94	10	5.9	..	1	..	3	..	1	..	6	3.4	..
Madhya Bharat														
Ratlam City	26-7-52	66	31	24.4	—	6	1	8	..	18	14.1	3
Indore City	5-7-52	328	203	32.1	26	3	8	1	92	14.7	26
Ratlam City	"	66	8	6.3	2	3	10	7.8	1
Madhya Bharat For w/e the 19th July, 1952														
Madhya Bharat														
Great Gwalior	249	67	14.4	—	1	9	1.9	..	
Indore City	928	124	19.8	—	28	4	9	..	97	15.5	35	
Ratlam City	66	11	2.7	11	1	8	..	30	7.3	6	
Ujjain City	138	30	11.4	1	..	13	..	25	9.5	6	
TOTAL	770	232	15.5	41	5	30	..	161	10.8	47	
Madhya Bharat For w/e the 2nd August, 1952														
Madhya Bharat														
Great Gwalior	249	178	36.5	—	2	—	—	1	24	5.1	—	
Indore City	825	135	21.6	—	29	5	12	2	122	19.6	40	
Ratlam City	66	17	19.3	—	7	4	4	..	21	16.5	3	
Ujjain †														
TOTAL	640	328	26.7	—	—	..	38	9	16	3	167	13.6	43	

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rates; I.D.—Infantile Deaths (included in total deaths).

REMARKS

The figures of births and deaths shown in this statement for week ending the 16th August, 1952, relate to 195 towns with an estimated population of 24,860 thousands. The total number of towns is 281 and their population is 34,764 thousands. Thus 69% of the total number of towns representing 72% of the total population is covered in this statement. The numbers of births and deaths recorded in these towns were 15,093 and 8,379 representing birth and death rates of 31.6 and 17.5 per thousand of population respectively.

(A) States (Parts A & C).—The data here relate to 159 towns with an estimated population of 20,823 thousands. Information about Bihar and West Bengal could not be included. The total number of towns is 235 and their population is 29,570 thousands. Thus 68% of the total number of towns representing 70% of the total population is covered. The numbers of births and deaths recorded in

these towns were 13,137 and 7,355 representing birth and death rates of 33.8 and 18.4 per thousand of population respectively. The table at the end gives the position by States.

No town recorded a high death rate of 50 or over per thousand of population.

(B) States (Part B).—The data here relate to 36 towns with an estimated population of 4,037 thousands. The total number of towns is 46 and their population is 5,194 thousands. Thus 78% of the total number of towns representing 78% of the total population is covered. The numbers of births and deaths recorded in these towns were 1,956 and 1,034 representing birth and death rates of 25.2 and 13.2 per thousand of population respectively.

No town recorded a high death rate of 50 or over per thousand of population.

States	Current w/e 16.8.52		Corresponding week of last year		Corresponding mean during the previous 5 year period	
	B. R.	D. R.	B. R.	D. R.	B. R.	D.R.
Ajmer	25.2	14.4	51.4	16.4	37.1	16.1
Bombay	29.8	17.3	43.4	17.8	33.2	22.0
Delhi	31.1	8.1	64.4	13.3	45.0	14.0
Madhya Pradesh	53.4	21.9	42.1	17.1	39.2	24.1
Madras	37.1	22.1	57.4	29.2	40.8	23.7
Orissa	25.4	23.5	37.6	16.8	34.1	27.5
Punjab (I)	30.1	11.8	41.4	14.6	28.6	11.5
Uttar Pradesh	34.0	19.9	48.2	22.0	38.2	21.8
India (only States Parts A and C).	32.8	18.4	40.8	17.6	34.2	20.2

NEW DELHI-2 (INDIA); }
The 8th September, 1952. }

K. MITRA,
for Registrar General, India.

